

MTRJ Fiber Connector

Features

- Precision molded MT ferrule
- High precision guide pins for exact alignment
- Duplex ferrule
- Plug-jack (RJ-45) design
- TIA/EIA 568-A Compliant*
- Polishing does not require diamond film

Applications

- Asynchronous Transmission Mode (ATM)
- Gigabit Ethernet
- CATV, Video and Multimedia
- Active Device/Transceiver Interface
- Premise Installations
- Telecommunication Networks
- Industrial
- Military
- Parallel optical interconnect between PC Cards and patch panels
- Interconnection for O/E modules
- Optical Switch interframe connections



Female-kit



Male-kit

Specifications

ITEM	Single Mode	Multi Mode
Insertion Loss(dB)	< 0.7	< 0.7
Return Loss(dB)	> 26	-
Durability:500matings(dB)	< 0.3	< 0.3
Cable Type	Simplex round cable / Zip Cable	
Boot Type	Simplex round cable/Zip cable	

LEAD Fiber Optics Co.,Ltd.

TEL: 886-2-8672-2371

FAX: 886-2-8672-3275

www.twfiberoptic.com

sales@fiberoptic.com.tw

3F., No.135, Dasyue Rd., Sansia Township, Taipei County 23741, Taiwan (R.O.C.)

Lfo